Product Comparison

Product Name	HP Designjet 111 24-in Printer with Roll (CQ532A)	HP Designjet 130 Printer (C7791C)	HP Designjet 130r Printer (C7791H)	HP Designjet 510 24-in Printer (CH336A)	HP Designjet 510 42-in Printer (CH337A)	HP Designjet Z2100 24-in Photo Printer (Q6675D)	HP Designjet Z2100 44-in Photo Printer (Q6677D)	HP Designjet Z3200 24-in Photo Printer (Q6718B)	HP Designjet Z3200 44-in Photo Printer (Q6719B)	HP Designjet Z3200ps 24-in Photo Printer (Q6720B)	HP Designjet Z3200ps 44-in Photo Printer (Q6721B)	HP Designjet T7100 Monochrome Printer (CQ101A)	HP Designjet T7100 Printer (CQ105A)	HP Designjet Z5200 44-in PostScript Printer (CQ113A)	HP Designjet Z6200 42-in Photo Printer (CQ109A)	HP Designjet Z6200 60-in Photo Printer (CQ111A)	HP Designjet T2300 eMultifunction Printer (CN727A)	HP Designjet T2300 PostScript eMultifunction Printer (CN728A)	HP Designjet T1200 HD Multifunction Printer (CQ653A)	HP Designjet HD Scanner (CQ654A)	HP Designjet L25500 42-in Printer (CH955A)	HP Designjet L25500 60-in Printer (CH956A)
PRINTER																						
Print Technology	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	Scalable printing technology	Scalable printing technology	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	Printer-dependent	HP Latex Printing Technologies	HP Latex Printing Technologies
AIO/MFP Functions																	Color printing, color copying, color scanning	Color printing, color copying, color scanning	Color printing, color copying, color scanning			
Print Speed, Draft Quality	Up to 90 sec/page (color image on coated paper, D-size)	Up to 1.2 mpp (color image on coated paper, D-size)	Up to 1.2 mpp (color image on coated paper, D-size)	2.5 mpp (color image on coated paper, D-size)	2.5 mpp (color image on coated paper, D-size)	2.0 mpp on D/A1 or up to 150 ft^2/hr (color image on coated paper)	2.0 mpp on D/A1 or up to 150 ft^2/hr (color image on coated paper)	2.0 mpp on D/A1 or up to 182.93 ft^2/hr (color image on coated paper)	2.0 mpp on D/A1 or up to 182.93 ft^2/hr (color image on coated paper)	2.0 mpp on D/A1 or up to 182.93 ft^2/hr (color image on coated paper)	2.0 mpp on D/A1 or up to 182.93 ft^2/hr (color image on coated paper)	Up to 1265 ft^2/hr (color image on coated paper)	Up to 1265 ft^2/hr (color image on coated paper)	1.4 mpp (color image on coated paper, D-size) or 205 ft^2/hr (color image on coated paper)	Up to 1162 ft^2/hr (color image on coated paper)	Up to 1383 ft^2/hr (color image on coated paper)	445 ft^2/hr (color image on coated paper)	445 ft^2/hr (color image on coated paper)	28 sec/page on D/A1 or 445 ft^2/hr (color image on coated paper)	Printer-dependent		
Print Speed, Normal Quality	Up to 5 mpp (color image on coated paper, D-size); up to 14.5 mpp (color image on glossy paper, D-size)	Up to 11.9 mpp (color image on glossy paper, D-size); up to 4 mpp (color image on glossy paper, B-size)	Up to 11.9 mpp (color image on glossy paper, D-size); up to 4 mpp (color image on glossy paper, B-size)	9.5 mpp (color image on glossy paper, D-size)	9.5 mpp (color image on glossy paper, D-size)	4.2 mpp on D/A1 or up to 72 ft^2/hr (color image on coated paper)	4.2 mpp on D/A1 or up to 72 ft^2/hr (color image on coated paper)	3.8 mpp on D/A1 or up to 92.43 ft^2/hr (color image on coated paper)	3.8 mpp on D/A1 or up to 92.43 ft^2/hr (color image on coated paper)	3.8 mpp on D/A1 or up to 92.43 ft^2/hr (color image on coated paper)	3.8 mpp on D/A1 or up to 92.43 ft^2/hr (color image on coated paper)	Up to 302 ft^2/hr (color image on coated paper)	Up to 302 ft^2/hr (color image on coated paper)	2.6 mpp (color image on coated paper, D-size) or 110 ft^2/hr (color image on coated paper)	Up to 236 ft^2/hr (color image on coated paper)	Up to 283 ft^2/hr (color image on coated paper)	110 ft^2/hr (color image on coated paper)	110 ft^2/hr (color image on coated paper)	110 ft^2/hr (color image on coated paper)	Printer-dependent		
Print Speed, Best Quality	Up to 13.5 mpp (color image on coated paper, D-size); up to 21.5 mpp (color image on glossy paper, D-size)	Up to 17.5 mpp (color image on glossy paper, D-size); up to 6 mpp (color image on glossy paper, B-size)	Up to 17.5 mpp (color image on glossy paper, D-size); up to 6 mpp (color image on glossy paper, B-size)	16 mpp (color image on glossy paper, D-size)	16 mpp (color image on glossy paper, D-size)	9.8 mpp on D/A1 or up to 31 ft^2/hr (color image on coated paper)	9.8 mpp on D/A1 or up to 31 ft^2/hr (color image on coated paper)	12.4 mpp on D/A1 or up to 27.76 ft^2/hr (color image on glossy paper)	12.4 mpp on D/A1 or up to 27.76 ft^2/hr (color image on glossy paper)	12.4 mpp on D/A1 or up to 27.76 ft^2/hr (color image on glossy paper)	12.4 mpp on D/A1 or up to 27.76 ft^2/hr (color image on glossy paper)	Up to 96 ft^2/hr (color image on glossy paper)	Up to 96 ft^2/hr (color image on glossy paper)	4.8 mpp (color image on coated paper, D-size) or 58 ft^2/hr (color image on glossy paper)	Up to 118 ft^2/hr (color image on glossy paper)	Up to 141 ft^2/hr (color image on glossy paper)	33.3 ft^2/hr (color image on glossy paper)	33.3 ft^2/hr (color image on glossy paper)	33.3 ft^2/hr (color image on glossy paper)	Printer-dependent		
Print Speed																					228 ft^2/h (4-pass bidirectional), 154 ft^2/h (6-pass bidirectional), 95 ft^2/h (8-pass bidirectional), 83 ft^2/h (10-pass bidirectional), 69 ft^2/h (12-pass bidirectional), 59 ft^2/h (16-pass bidirectional)	246 ft^2/h (4-pass bidirectional), 178 ft^2/h (6-pass bidirectional), 114 ft^2/h (8-pass bidirectional), 97 ft^2/h (10-pass bidirectional), 81 ft^2/h (12-pass bidirectional), 68 ft^2/h (16-pass bidirectional)
Paper Trays, Std		1	1																			
Paper Trays, Max		1	1																			
Print Length, Maximum	50 ft (application dependent)	Rolls: 50 ft; sheets: 64 in	Rolls: 50 ft; sheets: 64 in	150 ft	150 ft	300 ft; OS and application dependent	300 ft; OS and application dependent	300 ft; OS and application dependent	300 ft; OS and application dependent	300 ft; OS and application dependent	300 ft; OS and application dependent	300 ft	300 ft	300 ft (OS and application dependent)	575 ft; OS and application dependent	575 ft; OS and application dependent	300 ft; OS and application dependent	300 ft; OS and application dependent	300 ft (application dependent)	Printer-dependent	Unlimited (determined by RIP software or media roll length)	Unlimited (determined by RIP software or media roll length)
Media Width, Maximum	24.6 in	24.6 in	24.6 in	24 in	42 in	24 in	44 in	24 in	44 in	24 in	44 in	42 in	42 in	44 in	42 in	60 in	44 in	44 in	44 in	42 in	42 in	60 in
Media Handling/Document Finishing	Front manual single sheet feed, rear manual path for thick media	70-sheet input tray, front manual single-sheet feed, rear manual path for thick media, optional automatic roll feed with cutter	70-sheet input tray, front manual single-sheet feed, rear manual path for thick media, standard roll feed with cutter	Single sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Single sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Two automatic rolls (upgradeable to three), automatic roll switching, automatic cutter, media bin	Two automatic rolls (upgradeable to three), automatic roll switching, automatic cutter, media bin	Sheet feed, roll feed, automatic cutter (cuts all media except canvas)	Roll feed, automatic cutter, media bin	Roll feed, automatic cutter, take-up reel	Printer: sheet feed, two automatic roll feeds, automatic roll-switching, automatic cutter; scanner: straight-through scan paper path for sheet and cardboard originals	Printer: sheet feed, two automatic roll feeds, automatic roll-switching, automatic cutter; scanner: straight-through scan paper path for sheet and cardboard originals	Printer: sheet feed, two automatic roll feeds, automatic roll-switching, automatic cutter; scanner: straight-through scan paper path for sheet and cardboard originals	Straight-through scan paper path for sheet and cardboard originals	Roll feed, take-up reel, automatic cutter for vinyl, paper-based media, back-lit polyester film and thin banners	Roll feed, take-up reel, automatic cutter for vinyl, paper-based media, back-lit polyester film and thin banners
Typefaces		None	None			None	None															
Print Quality, Black Best	Up to 1200 x 600 dpi	Up to 2400 x 1200 dpi	Up to 2400 x 1200 dpi	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 dpi input optimization for photo paper selected)	Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi with maximum detail selected	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 dpi input optimization for photo paper selected)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 dpi input optimization for photo paper selected)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 dpi input optimization for photo paper selected)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 dpi input optimization for photo paper selected)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi with maximum detail selected)	Printer-dependent	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi
Print Quality, Color Best	Up to 1200 x 600 dpi	Up to 2400 x 1200 dpi	Up to 2400 x 1200 dpi	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi)	Not applicable	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 dpi input optimization for photo paper selected)	Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi with maximum detail selected	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 dpi input optimization for photo paper selected)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 dpi input optimization for photo paper selected)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 dpi input optimization for photo paper selected)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 dpi input optimization for photo paper selected)	Up to 2400 x 1200 optimized dpi (from 1200 x 1200 input dpi with maximum detail selected)	Printer-dependent	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi
Print Resolution Technology	HP Color Layering technology	HP Color Layering Technology, HP Photo REt IV	HP Color Layering Technology, HP Photo REt IV			Not available	Not available					Not available	Not available	HP Color Layering technology	Scalable Printing Technology	Scalable Printing Technology	Scalable Printing Technology	Scalable Printing Technology	HP Color Layering technology			
Print Cartridges	4 (1 each cyan, magenta, yellow, black)	6 (1 each black, cyan, magenta, yellow, light cyan, light magenta)	6 (1 each black, cyan, magenta, yellow, light cyan, light magenta)	4 (1 each black, cyan, magenta, yellow)	4 (1 each black, cyan, magenta, yellow)	8 (1 each cyan, magenta, yellow, light cyan, light gray, light magenta, matte black, photo black)	8 (1 each cyan, magenta, yellow, light cyan, light gray, light magenta, matte black, photo black)	12 (1 each light cyan, magenta, light magenta, yellow, red, green, blue, light gray, gray, photo black, matte black, gloss enhancer)	12 (1 each light cyan, magenta, light magenta, yellow, red, green, blue, light gray, gray, photo black, matte black, gloss enhancer)	12 (1 each light cyan, magenta, light magenta, yellow, red, green, blue, light gray, gray, photo black, matte black, gloss enhancer)	12 (1 each light cyan, magenta, light magenta, yellow, red, green, blue, light gray, gray, photo black, matte black, gloss enhancer)	2 (1 each matte black, dark gray)	6 (1 each cyan, magenta, yellow, matte black, gray, dark gray)	8 (1 each cyan, magenta, yellow, light cyan, light gray, light magenta, matte black, photo black)	8 (1 each chromatic red, magenta, matte black, photo black, yellow, light cyan, light gray, light magenta)	8 (1 each chromatic red, magenta, matte black, photo black, yellow, light cyan, light gray, light magenta)	6 (1 each cyan, gray, magenta, matte black, photo black, yellow)	6 (1 each cyan, gray, magenta, matte black, photo black, yellow)	6 (1 each cyan, gray, magenta, matte black, photo black, yellow)	Printer-dependent	6 (1 each cyan, magenta, yellow, black, light cyan, light magenta)	6 (1 each cyan, magenta, yellow, black, light cyan, light magenta)
Printheads																					6 (2 x yellow/black, 2 x cyan/light cyan, 2 x light magenta/magenta)	6 (2 x yellow/black, 2 x cyan/light cyan, 2 x light magenta/magenta)
Print Languages, Std	HP PCL 3 GUI	HP PCL 3 GUI RGB 24-bit contone	HP PCL 3 GUI RGB 24-bit contone	HP-GL/2, HP RTL, HP PCL 3 GUI	HP-GL/2, HP RTL, HP PCL 3 GUI	HP PCL 3 GUI	HP PCL 3 GUI	HP PCL 3 GUI	HP PCL 3 GUI	Adobe PostScript 3, Adobe PDF 1.6, TIFF, JPEG, HP PCL 3 GUI	Adobe PostScript 3, Adobe PDF 1.6, TIFF, JPEG, HP PCL 3 GUI	HP-GL/2, HP-RTL, CALS G4	HP-GL/2, HP-RTL, CALS G4	Adobe PostScript 3, Adobe PDF, TIFF, JPEG, HP-GL/2 (with free HP Instant Printing Pro), CALS G4, HP PCL 3 GUI	HP-GL/2, HP-RTL, CALS G4	HP-GL/2, HP-RTL, CALS G4	TIFF, JPEG, HP-GL/2, HP-RTL, CALS G4, HP PCL 3 GUI	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG, HP-GL/2, HP-RTL, CALS G4, HP PCL 3 GUI	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG, HP-GL/2, HP-RTL, CALS G4, HP PCL 3 GUI	Printer-dependent	Not applicable	Not applicable
Print Languages, Opt	None	Adobe PostScript 3 via software RIP	Adobe PostScript 3 via software RIP	None	None	HP-GL/2, HP-RTL	HP-GL/2, HP-RTL	None	None	None	None	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG		Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG	None	None		Printer-dependent	None	None
Print Cartridge Capacity	HP 82 Ink Cartridge: black (69 ml); HP 11 Ink Cartridge: cyan, magenta, yellow (28 ml)	69 ml (each black, yellow, light cyan, light magenta), 28 ml (each cyan, magenta)	69 ml (each black, yellow, light cyan, light magenta), 28 ml (each cyan, magenta)	69 ml (CMYK) or 28 ml (CMY)	69 ml (CMYK) or 28 ml (CMY)	130 ml	130 ml	130 ml	130 ml	130 ml	130 ml	Matte black (775 ml); matte black, dark gray (400 ml)	Matte black (775 ml); matte black, cyan, magenta, yellow, gray, dark gray (400 ml)	130 ml (cyan, gray, magenta, matte black, photo black, yellow); 69 ml (cyan, gray, magenta, photo black, yellow)	775 ml	775 ml	HP 726 Ink Cartridge: matte black (300 ml); HP 72 Ink Cartridge: cyan, gray, magenta, matte black, photo black, yellow (130 ml); cyan, gray, magen	HP 726 Ink Cartridge: matte black (300 ml); HP 72 Ink Cartridge: cyan, gray, magenta, matte black, photo black, yellow (130 ml); cyan, gray, magen	HP 726 Ink Cartridge: matte black (300 ml); HP 72 Ink Cartridge: cyan, gray, magenta, matte black, photo black, yellow (130 ml); cyan, gray, magen	Printer-dependent	775 ml	775 ml

| | | |

																			1394a compliant)			
Connectivity, Opt	HP Jetdirect internal print servers	HP Jetdirect internal, external and wireless print servers	HP Jetdirect internal, external and wireless print servers	HP Jetdirect internal, external and wireless print servers	HP Jetdirect internal, external and wireless print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	HP Jetdirect internal print servers	None	None	None
Memory, Std	64 MB	64 MB	64 MB	160 MB	160 MB	128 MB	128 MB	256 MB	256 MB	256 MB	256 MB	32 GB (virtual)	32 GB (virtual)	32 GB (dedicated file-processing memory)	32 GB (virtual)	32 GB (virtual)	32 GB (virtual)	32 GB (virtual)	Printer: 32 GB (dedicated file-processing memory); scanner: 1 GB	1 GB	Not available	Not available
Memory, Max	64 MB	64 MB	64 MB	416 MB	416 MB	128 MB	128 MB	256 MB	256 MB	256 MB	256 MB	Expandable to 1.5 GB RAM through a Designjet qualified SODIMM included only in the optional HP Designjet PostScript®/PDF Upgrade Kit accessory	Expandable to 1.5 GB RAM through a Designjet qualified SODIMM included only in the optional HP Designjet PostScript®/PDF Upgrade Kit accessory	32 GB (dedicated file-processing memory)	Expandable to 1.5 GB RAM through a Designjet qualified SODIMM included only in the optional HP Designjet PostScript®/PDF Upgrade Kit accessory	Expandable to 1.5 GB RAM through a Designjet qualified SODIMM included only in the optional HP Designjet PostScript®/PDF Upgrade Kit accessory	Not available	Not available	Printer: 32 GB dedicated file-processing memory; scanner: 1 GB	1 GB	Not available	Not available
Hard Disk Drive						80 GB	80 GB	80 GB	80 GB	80 GB	80 GB	160 GB hard disk	160 GB hard disk	160 GB	160 GB	160 GB	160 GB	160 GB	Printer: 160 GB; scanner: 160 GB	160 GB		
ENERGY STAR® Qualified	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Mac Compatible	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No
Dimensions (W x D x H)	41 x 19.5 x 8.7 in	41.3 x 16.3 x 8.7 in	41.3 x 21 x 8.7 in	49 x 19 x 14 in	67 x 27 x 43 in (with stand)	49.7 x 26 x 41.2 in (with stand)	69.7 x 26 x 41.2 in (with stand)	49.7 x 27.2 x 41.2 in (with stand)	69.7 x 27.2 x 41.2 in (with stand)	49.7 x 27.2 x 41.2 in (with stand)	69.7 x 27.2 x 41.2 in (with stand)	77.7 x 27.6 x 54.1 in	77.7 x 27.6 x 54.1 in	69.7 x 27.2 x 41.2 in	77.5 x 27.2 x 53.9 in	95.7 x 27.2 x 53.9 in	69.7 x 39.8 x 44.3 in	69.7 x 39.8 x 44.3 in	74.8 x 39.4 x 63 in	70.8 x 33.4 x 54.3 in	78 x 27.5 x 54 in	97 x 27.5 x 54 in
Weight	50.7 lb	48.5 lb	50.7 lb	85.3 lb	99.6 lb (with stand)	143 lb (with stand)	189 lb (with stand)	143 lb (with stand)	189 lb (with stand)	143 lb (with stand)	189 lb (with stand)	412 lb	412 lb	189 lb	271 lb	419 lb	226 lb	226 lb	440 lb	204 lb	355 lb	399 lb
Dimensions, Metric	1042 x 495 x 220 mm	1050 x 415 x 220 mm	1050 x 535 x 220 mm	1253 x 470 x 349 mm	1690 x 674 x 1100 mm	1262 x 690 x 1047 mm	1770 x 690 x 1047 mm	1262 x 690 x 1047 mm	1770 x 690 x 1047 mm	1262 x 690 x 1047 mm	1770 x 690 x 1047 mm	1974 x 700 x 1374 mm	1974 x 700 x 1374 mm	1770 x 690 x 1047 mm	1970 x 690 x 1370 mm	2430 x 690 x 1370 mm	1771 x 1010 x 1124 mm	1771 x 1010 x 1124 mm	1900 x 1000 x 1600 mm	1800 x 850 x 1380 mm	1985 x 690 x 1370 mm	2465 x 690 x 1370 mm
Weight, Metric	23 kg	22 kg	23 kg	38.7 kg	45.2 kg	65 kg	86 kg	65 kg	86 kg	65 kg	86 kg	187 kg	187 kg	86 kg	123 kg	190 kg	103 kg	103 kg	200 kg	92.5 kg	161 kg	181 kg
Shipping Dimensions	46.9 x 21.5 x 17.8 in	46.9 x 21.5 x 19.5 in	46.9 x 21.5 x 19.5 in	60.6 x 25.4 x 29 in	77.8 x 25.4 x 38.5 in (with stand)	57.8 x 30.7 x 29.1 in	77.3 x 30.7 x 30.7 in	57.8 x 30.7 x 29.1 in	77.3 x 30.7 x 30.7 in	57.8 x 30.7 x 29.1 in	77.3 x 30.7 x 30.7 in	87.9 x 30 x 50 in	87.9 x 30 x 50 in	76 x 30.2 x 30.3 in	87.8 x 29.5 x 47.2 in	105.9 x 29.5 x 47.2 in	76 x 30.2 x 32.6 in	76 x 30.2 x 32.6 in	75.98 x 30.16 x 60.2 in	75.2 x 26.77 x 29.92 in	87.8 x 31.9 x 46.6 in	105.9 x 31.9 x 46.6 in
Shipping Weight	75.5 lb	74.6 lb	81.2 lb	134 lb	232 lb (with stand)	225 lb	271 lb	225 lb	271 lb	225 lb	271 lb	440 lb	484 lb	271 lb	462 lb	550 lb	297 lb	297 lb	617 lb	309 lb	550 lb	682 lb
Shipping Dimensions, Metric	1192 x 545 x 453 mm			1540 x 645 x 737 mm	1975 x 645 x 978 mm	1470 x 780 x 740 mm	1965 x 780 x 780 mm	1470 x 780 x 740 mm	1965 x 780 x 780 mm	1470 x 780 x 740 mm	1965 x 780 x 780 mm	2232 x 761 x 1269 mm	2232 x 761 x 1269 mm	1930 x 766 x 769 mm	2230 x 750 x 1200 mm	2690 x 750 x 1200 mm	1930 x 766 x 827 mm	1930 x 766 x 827 mm	1930 x 766 x 1529 mm	1910 x 680 x 760 mm	2230 x 810 x 1184 mm	2690 x 810 x 1184 mm
Shipping Weight, Metric	34.3 kg	33.8 kg	36.8 kg	61 kg	105 kg	102 kg	123 kg	102 kg	123 kg	102 kg	123 kg	200 kg	220 kg	123 kg	210 kg	250 kg	135 kg	135 kg	280 kg	140 kg	250 kg	310 kg

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

1 . 2-inch spindle must be purchased to use certain media on the L25500 printer.